

Bemerkung:

Integrationskonstante $+C$ jeweils weggelassen! Bloss *eine* Stammfunktion $F(x)$ angeben!

$f(x)$	$F(x)$
1	x
a	ax
x^n	$\frac{x^{n+1}}{n+1}$
$\frac{1}{2\sqrt{x}}$	\sqrt{x}
$\frac{1}{x}$	$\ln x \quad x > 0$
$\ln x$	$x \cdot \ln x - x$
e^x	e^x
a^x	$\frac{1}{\ln a} a^x \quad a > 0$
$\sin x$	$-\cos x$
$\cos x$	$\sin x$
$\tan x$	$-\ln \cos x $
$\cot x$	$\ln \sin x $
$\frac{1}{\sin x}$	$\ln\left \tan\frac{x}{2}\right $
$\frac{1}{\cos x}$	$\ln\left \tan\left(\frac{x}{2} + \frac{\pi}{4}\right)\right $
$\frac{1}{\cos^2 x} = 1 + \tan^2 x$	$\tan x \quad (x \neq \frac{\pi}{2} + k\pi, k \in \mathbb{Z})$
$-\frac{1}{\sin^2 x} = -(1 + \cot^2 x)$	$\cot x \quad (x \neq k\pi, k \in \mathbb{Z})$

Bemerkung:Integrationskonstante $+C$ jeweils weggelassen! Bloss *eine* Stammfunktion $F(x)$ angeben!

$f(x)$	$F(x)$
$\frac{1}{1+x^2}$	$\arctan x$
$\frac{1}{\sqrt{1-x^2}} \quad (x < 1)$	$\arcsin x$
$-\frac{1}{\sqrt{1-x^2}} \quad (x < 1)$	$\arccos x$
$\sqrt{x^2 \pm a^2}$	$\frac{x}{2}\sqrt{x^2 \pm a^2} \pm \frac{a^2}{2} \ln \left x + \sqrt{x^2 \pm a^2} \right $
$\sqrt{a^2 - x^2}$	$\frac{x}{2}\sqrt{a^2 - x^2} + \frac{a^2}{2} \arcsin \frac{x}{ a }$
$\frac{1}{\sqrt{x^2 \pm a^2}}$	$\ln \left x + \sqrt{x^2 \pm a^2} \right $
$\frac{1}{\sqrt{a^2 - x^2}}$	$\arcsin \frac{x}{ a }$

Bemerkung:

Integrationskonstante $+C$ jeweils weggelassen! Bloss *eine* Stammfunktion $F(x)$ angeben!

$f(x)$	$F(x)$
$\cosh x$	$\sinh x$
$\sinh x$	$\cosh x$
$\frac{1}{\cosh^2 x} = 1 - \tanh^2 x$	$\tanh x$
$-\frac{1}{\sinh^2 x} = (1 - \coth^2 x) \quad (x \neq 0)$	$\coth x$
$\frac{1}{\sqrt{1+x^2}}$	$\operatorname{arsinh} x$
$\frac{1}{\sqrt{x^2-1}} \quad (x > 1)$	$\operatorname{arcosh} x$
$\frac{1}{1-x^2} \quad (x < 1)$	$\operatorname{artanh} x$

$f(x)$	$F(x)$
$(ax+b)^n \quad a \neq 0, \quad n \neq -1$	$\frac{(ax+b)^{n+1}}{a(n+1)}$
$(ax+b)^{-1} \quad a \neq 0$	$\frac{1}{a} \ln ax+b $
$\frac{1}{ax^2+2bx+c} \quad b^2 > ac$	$\frac{1}{2\sqrt{b^2-ac}} \ln \left \frac{ax+b-\sqrt{b^2-ac}}{ax+b+\sqrt{b^2-ac}} \right $
$\frac{1}{ax^2+2bx+c} \quad b^2 < ac$	$\frac{1}{\sqrt{ac-b^2}} \arctan \frac{ax+b}{\sqrt{ac-b^2}}$
$\frac{1}{ax^2+2bx+c} \quad b^2 = ac$	$-\frac{1}{ax+b}$
$\frac{ax+b}{cx+d} \quad c \neq 0$	$\frac{ax}{c} - \frac{ad-bc}{c^2} \ln cx+d $